



School of Health & Science

Ancillary Safety Statement

June 2024

This Ancillary Safety Statement is to be read in conjunction with the Parent Safety Statement of Dundalk Institute of Technology

<https://www.dkit.ie/health-safety/safety-statements/parent-safety-statement>

Table of Contents

| | | |
|----|---|----|
| 1. | Introduction | 3 |
| 2. | General Statement of Policy within the School of Health & Science | 4 |
| 3. | School of Health & Science Functional Area: Description | 5 |
| 4. | Overview of Risk Assessment Process | 7 |
| 5. | Functional Area Safety Records | 8 |
| | <u>Appendix I:</u> Functional Area Safety Committee 2023/2024 | 13 |
| | <u>Appendix II:</u> List of Responsible Persons & Safety Organizational Chart | 14 |
| | <u>Appendix III:</u> Safety Inspection Forms | 16 |
| | <u>Appendix IV:</u> Safe Work Practice Sheets (Table of Contents) | 19 |

1. Introduction

Under the provisions of The Safety, Health and Welfare at Work Act 2005, Dundalk Institute of Technology is required to ensure so far as is reasonably practicable the health, safety and welfare of all its employees and students engaged in work or study, and all visitors to the Institute premises.

Dundalk Institute of Technology's safety management programme consists of a Parent Safety Statement supplemented by seven ancillary Safety Statements, which apply to different functional areas of the Institute. These ancillary Safety Statements take account of the diverse range of activities, which apply across the Institute.

The Institute's overall Safety Statement is comprised of the following documents:

- Parent Safety Statement
- Ancillary Safety Statement – School of Business & Humanities
- Ancillary Safety Statement – School of Health & Science
- Ancillary Safety Statement – School of Engineering
- Ancillary Safety Statement – School of Informatics & Creative Arts
- Ancillary Safety Statement – Secretary/Financial Controller's Functional Area
- Ancillary Safety Statement – Registrar's Functional Area
- Ancillary Safety Statement –Development's Functional Area
- Emergency Evacuations Procedures Manual

The purpose of the Ancillary Safety Statements is to provide details of the specific hazards and control measures which apply in these areas. Each Ancillary Safety Statement should be read in conjunction with the Parent Safety Statement: <https://www.dkit.ie/health-safety/safety-statements/parent-safety-statement>

2. General Statement of Policy within the School of Health & Science

The School of Health & Science Functional Area is committed to ensuring that high standards of health and safety are achieved and maintained throughout all areas under our control. The key mechanism for achieving and maintaining safety is Risk Assessment, by which we identify hazards, which have the potential for harming health or causing accidents, evaluate the risks arising and select and implement appropriate precautions. This is achieved through safety inspections, production of safe work practice sheets and chemical agents risk assessments where appropriate.

Throughout the School of Health & Science Functional Area, safety inspections are carried out in all areas under our control periodically (at least once per year). It is essential that all staff and students contribute and co-operate to this process, thus ensuring that the School of Health & Science Functional Area's stated objective, of providing in so far as is reasonably practicable a safe place of work, is achieved.

The process of Risk Assessment in the School of Health & Science Functional Area enables us to take all relevant precautions to ensure that Dundalk Institute of Technology's legal standard as an employer is fulfilled particularly in relation to:

- Exercising all due care
- Putting in place necessary protective and preventative measures
- Identifying hazards and assessing risks likely to result in accidents or ill-health
- Not being required to take further measures where these would be grossly disproportionate having regard to the unusual, unforeseeable and exceptional nature of the circumstances.

Health and Safety is overseen in the School by the Functional Area Safety Committee which contains representatives from all of the areas within the School (See Appendix I for membership details)

Signed on behalf of School of Health & Science, Dundalk Institute of Technology,



Dr. Moira Maguire
Acting Head of School of Health & Science
Chair of Functional Area Safety Committee

3.0 School of Health & Science Functional Safety Area: Description

The School of Health & Science is divided into three Departments, 3 Research Centres and 1 research group.

1. Department of Nursing, Midwifery & Early Years
2. Department of Agriculture, Food & Animal Health
3. Department of Life & Health Sciences
4. Smooth Muscle Research Centre
5. NetwellCASALA Research Centre
6. Centre for Fresh Water and Environmental Studies
7. Electrochemistry Research Group
8. Nursing, Midwifery & Early Years Research Group

The School of Health & Science is predominantly located in the following areas of the Institute:

| Location | Description | Primary Activity |
|-------------------------------|--|--|
| Muirhevna Building | Dept. Nursing, Midwifery & Early Years | <ul style="list-style-type: none"> ○ Lecture rooms ○ Computer Labs ○ Clinical Skills Laboratories ○ Office based activities ○ Work Placements |
| | Nursing, Midwifery & Early Years Research Group | <ul style="list-style-type: none"> ○ Office based activities ○ Field Work |
| Jocelyn Bell Burnell Building | Dept of Agriculture, Food & Animal Health; Department of Life & Health Sciences | <ul style="list-style-type: none"> ○ Lecture rooms ○ Science Laboratories: Undergraduate & Postgraduate ○ Office based activities ○ Fieldwork ○ Work Placements |
| | Centre for Freshwater and Environmental Studies | <ul style="list-style-type: none"> ○ Research Laboratories (Science) ○ Office based activities ○ Field Work |
| | Electrochemistry Research Group | <ul style="list-style-type: none"> ○ Research Laboratories (Science) ○ Office based activities |
| Regional Development Centre | Smooth Muscle Research Centre | <ul style="list-style-type: none"> ○ Research Laboratories (Cell Biology) ○ Office based activities |
| Carroll's Building | NetwellCASALA Research Centre | <ul style="list-style-type: none"> ○ Simulation Laboratories ○ Office Based Activities ○ Field Work |

Risk Assessment is carried out at least once per year in each location in the School of Health & Science safety functional area under the direction of the Head of School, Dr Edel Healy who is the responsible person.

The wide range of workplace activities and the associated risks to health, safety and welfare within the School of Health & Science can be broadly categorized as follows:-

- Offices, (Administration and Lecturing Staff) – low to medium risk.
- Lecture Rooms, Computer Labs. – low to medium risk
- Science Laboratories – low to high risk

(Refer to Appendix II for School of Health & Science safety management organizational layout)

Hard copies of this Functional Area Ancillary Safety Statement are available at the following locations:

1. Administration Office, Department of Nursing, Midwifery & Early Years
2. Administration Office, Department of Agriculture Food & Animal Health & Department of Life & Health Sciences
3. Smooth Muscle Research Centre, Regional Development Centre
4. NetwellCASALA Research Centre, Carroll's Building

4.0 School of Health & Science – Overview of Risk Assessment Process

This Ancillary Safety Statement covers all activities carried out by the School of Health & Science, and should be read in conjunction with the Institute Parent Safety Statement.

Safety Inspections will be carried out at least once a year in all of the different sites in the School. This process identifies hazards posed by activities within the School, quantifies the risk posed by same and outlines action plans to reduce the risk and where reasonably practicable eliminate the hazard. This process is documented using the School '**Safety Inspection**' forms (Appendix III).

In most cases the majority of hazards can be controlled by adhering to procedures detailed in the School **Safe Work Practice Sheets (SWPS)**. These are developed on an as needed basis as identified through the regular risk assessment process, and are available in the School Administrative offices, all Research Centres and on the Institute's website at: https://www.dkit.ie/system/files/dkit_college_and_school_of_health_science_swps_updated_june_2017_0.pdf

The list of these SWPS is also included in Appendix IV of this document. More generic college-wide SWPS are also to be adhered to and are available at: <https://www.dkit.ie/health-safety/safety-statements/routine-safe-work-practice-sheets>

The primary objective of the SWPS is to eliminate, reduce or control any risks posed as a result of the hazards that exist throughout the School. All SWPS will be reviewed on an annual basis and updated to ensure that they take account of any changing circumstances that have arisen during the course of the year.

Adherence to the SWPS is the primary means of risk control in the School of Health & Science. However, hazards may arise from time to time, which are not covered by these procedures. Under Section 13 (h) (i - iii) of the 2005 Safety, Health & Welfare at Work Act, all staff are required to report any hazards that they notice or observe to their employer. **Within the School of Health & Science, any hazard noted or observed by any member of staff must be reported to their immediate supervisor.**

Chemical Agents Risk Assessments are carried out as required within the Department of Applied Sciences, Centre for Freshwater Studies (and ORRG), Electrochemistry Research Group and the Smooth Muscle Centre due to the nature of the activity ongoing in those locations.

Accidents and 'Near Misses' must be reported in accordance with the Institute Procedures outlined in:

The **Accident/Incident Report Form** should be completed where an accident or incident occurs which results in injury or damage to personnel or property: https://www.dkit.ie/system/files/ACCIDENT%20INCIDENT%20REPORT%20FORM_0.pdf

The Near Miss Report Form should be used where personnel or property are not injured/damaged: https://www.dkit.ie/system/files/NEAR%20MISS%20REPORT%20FORM_2.pdf

5.0 Functional Area Safety Records

Functional Area safety records include but are not limited to the following documents:

1. Ancillary Safety Statement
2. Safe Work Practice Sheets
3. Health and Safety Training Records
4. Equipment Safety Testing Records
5. Incident and Accident Reports
6. Safety Inspections
7. Safety Data Sheets (where applicable)
8. Chemical Agents Risk Assessments (where applicable)
9. Functional Area Safety Committee Meeting Records
10. Licenses (where applicable)

This documentation can be located as follows:

(a). Department of Life & Health Sciences **and** Department of Agriculture, Food & Animal Health

| Record Type | Building | Room No. | Contact |
|--|-------------------------------|--|---|
| Ancillary Safety Statement | Jocelyn Bell Burnell Building | Science Office, NE185 | Francis Hutchinson francis.hutchinson@dkit.ie Ext. 2953 |
| Training Records | Jocelyn Bell Burnell Building | Science Office, NE185 | As above |
| Equipment Safety test certificates | Jocelyn Bell Burnell Building | Preparation Room NE278 | Fiona McGovern Fiona.McGovern@Dkit.ie ext. 2903 |
| PAT and Safety Showers test records | | | |
| Radioactive materials security check records | | Radiological Protection Officer, NE278 | Fiona McGovern Fiona.McGovern@Dkit.ie ext. 2903 |
| Incident & Accident Reports | Jocelyn Bell Burnell Building | Science Office, NE185 | Francis Hutchinson francis.hutchinson@dkit.ie Ext. 2953 |
| Safety Inspections | Jocelyn | Science Office, | Francis Hutchinson |

| | | | |
|----------------------------------|-------------------------------|-------------------------|---|
| | Bell Burnell Building | NE185 | francis.hutchinson@dkit.ie Ext. 2953 |
| Safety Data Sheets | Jocelyn Bell Burnell Building | Preparation Room, NE278 | Fiona McGovern Fiona.McGovern@Dkit.ie , ext. 2903 |
| Chemical Agents Risk Assessments | Jocelyn Bell Burnell Building | Preparation Room, NE278 | Fiona McGovern Fiona.McGovern@Dkit.ie ext. 2903 |
| FASC Meeting Records | Muirhevna | HOS Office M336 | Edel Healy Edel.healy@dkit.ie Ext 2716 |
| Licenses | Jocelyn Bell Burnell Building | Science Office, NE185 | Francis Hutchinson francis.hutchinson@dkit.ie Ext. 2953 |

(b). Department of Nursing, Midwifery and Early Years

| Record Type | Building | Room No. | Contact |
|---|-----------|---|---|
| Training Record (Staff) | Muirhevna | Admin Office M342 | Fiona Maguire Fiona.maguire2@dkit.ie Ext. 2529 |
| Equipment Safety testing and Service Reports | | Clinical Skills Technicians Office M235 | Ms Sharon Tuohy Sharon.tuohy@dkit.ie |
| Incident & Accident Reports | | Admin Office M342 | Fiona Maguire Fiona.maguire2@dkit.ie Ext. 2529 |
| Safety Inspections | | Admin Office M342 | Fiona Maguire Fiona.maguire2@dkit.ie Ext. 2529 |
| FASC Meeting Records | | HOS office M336 | Edel Healy Edel.healy@dkit.ie |
| Ancillary Safety Statement, including Safe Work Practice Sheets | | Admin Office M342 | Fiona Maguire Fiona.maguire2@dkit.ie Ext. 2529 |

(c) NetwellCASALA Research Centre

| Record Type | Building | Room No. | Contact |
|-----------------------------|--------------|----------|----------|
| Training Records | PJ Carroll's | Unit 30 | Ext:2497 |
| Equipment Safety testing | PJ Carroll's | Unit 30 | As Above |
| Incident & Accident Reports | PJ Carroll's | Unit 30 | As Above |
| Risk Assessments | PJ Carroll's | Unit 30 | As Above |
| Safety Inspections | PJ Carroll's | Unit 30 | As Above |

(d). Smooth Muscle Research Centre (including ICBC)

| Record Type | Building | Room No. | Contact |
|-----------------------------|----------|----------|---|
| Incident & Accident Reports | RDC | 18/5 | Billie McIlveen Billie.mcilveen@dkit.ie Ext:2476 |
| Risk Assessments | RDC | 16 | Mark Hollywood Mark.hollywood@dkit.ie Ext:2475 |
| Safety Data Sheets | RDC | 16 | Mark Hollywood Mark.hollywood@dkit.ie Ext:2475 |
| Safety Inspections | RDC | 18/5 | Billie McIlveen Billie.mcilveen@dkit.ie Ext:2476 |

(e). Centre for Freshwater and Environmental Studies

| Record Type | Building | Room No. | Contact |
|--------------------------|-------------------------------|----------|---|
| Training Record | Jocelyn Bell Burnell Building | NE215 | Allison Murdock allison.murdock@dkit.ie |
| Equipment Safety testing | Jocelyn Bell Burnell | NE215 | Allison Murdock allison.murdock@dkit.ie |

| | | | |
|----------------------------------|-------------------------------|----------------------------|---|
| | Building | | |
| Incident & Accident Reports | Jocelyn Bell Burnell Building | Science Office, NE185 | Ciara Grimes Ciara.grimes@dkit.ie Ext. 2892 |
| Risk Assessments | Jocelyn Bell Burnell Building | NE215 | Allison Murdock allison.murdock@dkit.ie |
| Safety Data Sheets | Jocelyn Bell Burnell Building | Main Freshwater Lab, NE237 | Allison Murdock allison.murdock@dkit.ie |
| Chemical Agents Risk Assessments | Jocelyn Bell Burnell Building | NE215 | Allison Murdock allison.murdock@dkit.ie |
| Safety Inspections | Jocelyn Bell Burnell Building | NE215 | Allison Murdock Allison.murdock@dkit.ie |

(f). Electrochemistry Research Group

| Record Type | Building | Room No. | Contact |
|-----------------------------|-------------------------------|-----------------|--|
| Training Record | Jocelyn Bell Burnell Building | NE201a | Allison Murdock Allison.murdock@dkit.ie? |
| Equipment Safety testing | Jocelyn Bell Burnell Building | NE201a | As Above |
| Incident & Accident Reports | Jocelyn Bell Burnell Building | NE201a | As Above |
| Risk Assessments | Jocelyn Bell Burnell Building | NE201a | As Above |
| Safety Data Sheets | Jocelyn Bell Burnell | NE201a | As Above |

| | Building | | |
|--------------------|--|--------|----------|
| Safety Inspections | Jocelyn Bell Burnell Building | NE201a | As Above |

APPENDICES

Appendix I


Functional Area Safety Committee 2024/2025

1. Dr. Moira Maguire, Acting Head of School of Health and Science (Chairperson)
2. Dr. Gillian Lambe, Head of Department of Life & Health Sciences (acting)
3. Dr. Briege King, Head of Department of Nursing, Midwifery & Early Years
4. Dr. Siobhan Jordan, Head of Department of Agriculture, Food & Animal Health
5. Ms. Sharon Tuohy Clinical Skills Technician, Department of Nursing, Midwifery & Early Years
6. Ms Siobhan Nash, Clinical Skills Technician, Department of Nursing, Midwifery & Early Years.
7. Ms. Fiona McGovern, Senior Technical Officer, School of Health & Science
8. Ms. Billie McIlveen, Smooth Muscle Research Centre
9. Ms. Allison Murdock, Research Technician, Department of Applied Science
10. Ms. Suzanne Smith, Netwell CASALA
11. Ms. Fiona Quinn: Administration Office
12. Dr. Chiara Hanlon, Academic Representative

Appendix II

List of Responsible Persons within the School of Health & Science

| | |
|--|------------------------------------|
| School of Health & Science | Dr Moira Maguire |
| Dept. Nursing, Midwifery & Early Years | Dr. Briege King |
| Dept of Life & Health Sciences | Dr Gillian Lambe |
| Dept Agriculture, Food & Animal Health | Dr. Siobhan Jordan |
| NetwellCASALA Research Centre | Dr. Julie Doyle |
| Centre for Freshwater and Environmental Studies | Dr. Suzanne Linnane |
| Smooth Muscle Research Centre | Dr. Keith Thornbury |
| Electrochemistry Research Group | Dr. Tim McCormac |
| Nursing Midwifery & Early Years Research Group | Dr. Anita Byrne/Dr. Briege King |



**School of Health & Science
Safety Management Organisation Chart**

Appendix III

Safety Inspection Forms

Health + Safety Inspection Checklist

School/Department: _____ Date: _____
 Inspected By : _____ Reviewed By : _____

Comments:

| <u>1</u> | <i>General Safety + Housekeeping</i> | | |
|----------|---|--|--|
| 1 | Passageways and aisles kept clear? | | |
| 2 | Floors clean, dry + spill free? | | |
| 3 | Warning signs and/or mats used where floors are wet | | |
| 4 | Carpeted areas free of S/T/F hazards (frayed, loose, rips, bumps) | | |
| 5 | Waste bins provided + emptied regularly | | |
| 6 | Is lighting sufficient? | | |
| 7 | Is ventilation adequate? | | |

| <u>2</u> | <i>Fire + Electrical Hazards Prevention and Safety</i> | | |
|----------|--|--|--|
| 1 | All fire alarms functioning properly + tested annually | | |
| 2 | Planned + unplanned fire drills conducted at regular intervals | | |
| 3 | Electrical outlets adequate (no overloads or unapproved extension cords) | | |
| 4 | Plugtops, Sockets and Leads free from damage or deterioration | | |
| 5 | Electrical panels labelled properly + free of defects | | |
| 6 | Surrounding areas free of flammable, hazardous, combustible materials | | |
| 7 | Electrical closets free of storage | | |

| <u>3</u> | <i>Egress</i> | | |
|----------|--|--|--|
| 1 | Corridors + Walkways clear of obstacles + clutter | | |
| 2 | Corridors + Walkways well lit at all times | | |
| 3 | Exit doors clearly marked + unobstructed | | |
| 4 | Emergency + Exit lights readily visible and in working order | | |
| 5 | Stairways + Handrails well lit and in good condition | | |

| <u>4</u> | <i>Emergency Equipment + First Aid</i> | | |
|----------|--|--|--|
| 1 | Emergency equipment accessible and in good condition | | |
| 2 | Fire extinguishers appropriately located, mounted and accessible | | |
| 3 | Fire extinguishers are charged and have safety pins and seals intact | | |
| 4 | Service Date available | | |
| 5 | First Aid boxes available | | |
| 6 | First Aid box appropriately stocked | | |
| 7 | Emergency numbers posted and available | | |

| <u>5</u> | <i>Maintenance (Exterior + Interior)</i> | | |
|----------|---|--|--|
| 1 | All doors + locks in good working order | | |
| 2 | Ceiling tiles intact, undamaged and in place | | |
| 3 | No signs of weather damage or mold growth | | |
| 4 | All windows unbroken + free from any type of damage | | |
| 5 | A.C. vents + ducts clean upon visual inspection | | |
| 6 | Light fittings + switches clean and in good working order | | |
| 7 | Elevator functioning properly + inspection certificate up-to-date | | |
| 6 | Exterior of the building presents no safety concern | | |

| <u>6</u> | <i>Facilities + Hygiene</i> | | |
|----------|--|--|--|
| 1 | Staff kitchen and eating areas clean + sanitary | | |
| 2 | Restrooms facilities clean + sanitary | | |
| 3 | Restroom facilities adequately stocked with necessary supplies | | |
| 4 | Drinking fountains clean + in good working order | | |
| 5 | Hand Soap + Paper towels available in ... | | |
| 6 | Food and Drink consumed in designated areas only | | |
| 7 | No Smoking | | |

Laboratory Health + Safety Inspection Checklist

School/Department: _____ **Room:** _____
Inspected By : _____ **Date :** _____
Reviewed By: _____

Comments:

| <u>1</u> | General | | |
|----------|--|--|--|
| 1 | Are passageways and aisles kept clear? | | |
| 2 | Are floors dry + spill free? | | |
| 3 | Are benches clean and wiped down? | | |
| 4 | Are all cables and leads stored neatly and not causing S/T/F hazard? | | |
| 5 | Is the area in general kept clean and tidy? | | |
| 6 | Is lighting sufficient? | | |
| 7 | Is ventilation adequate? | | |

| <u>2</u> | Hazardous + Chemicals Materials | | |
|----------|--|--|--|
| 1 | Safely Secured | | |
| 2 | Safely and compatibly stored | | |
| 3 | Labelled | | |
| 4 | Protective caps/lids fastened | | |
| 5 | Waste and sharps containers available | | |
| 6 | Spill kits available | | |
| 7 | Collection and Disposal | | |

| <u>3</u> | Machinery + Electrical Appliances | | |
|----------|--|--|--|
| 1 | Plugtops, Sockets and Leads in good condition | | |
| 2 | Emergency stop buttons where required | | |
| 3 | Regularly serviced | | |
| 4 | Clean and unobstructed | | |
| 5 | All guards fully operational | | |
| 6 | Fume hood not used as permanent storage/ no clutter in fume hood | | |

| <u>4</u> | Emergency Equipment & Egress | | |
|----------|--|--|--|
| 1 | Exits + Aisles clear of obstruction | | |
| 2 | Exit signs in place | | |
| 3 | Emergency lighting in place | | |
| 4 | Showers and Eye/Face Wash Fountains identified and operational | | |
| 5 | Showers and Eye/Face Wash Fountains accessible and unobstructed | | |
| 6 | Showers and Eye/Face Wash Fountains in good condition and tested | | |
| 7 | Emergency numbers posted and available | | |

| <u>5</u> | Fire Equipment/First Aid | | |
|----------|---|--|--|
| 1 | Fire extinguishers appropriately located and accessible | | |
| 2 | Fire extinguishers are charged and have safety pins and seals | | |
| 3 | Service Date available | | |
| 4 | First Aid box available | | |
| 5 | First Aid box appropriately stocked | | |

| <u>6</u> | Hygiene | | |
|----------|------------------------|--|--|
| 1 | Hand Soap available | | |
| 2 | Paper Towels available | | |
| 3 | No Food and Drink | | |
| 4 | No Smoking | | |
| 5 | Clean PPE being used | | |

Health & Safety Inspection Action List

| | | | | | |
|--|-----------------------------|--|--|---|------------------------------|
| Functional Area: <i>Insert name of Dept. or Research Centre</i> | | | Location inspected: <i>Insert department, section, room no.'s</i> | | |
| Date of Inspection: <i>Insert date</i> | | | Inspected by: <i>Insert names of person(s) who carried out inspection</i> | | |
| <u>Hazard Description</u> Details of hazard | <u>Risk</u> L/M/H | <u>Suggested Action</u> Insert details | <u>Notified Person</u> Insert Initials + Date | <u>Action Decided</u> Agreed Action | <u>Date completed</u> |

Appendix IV

DKIT School of Health + Science

Safe Work Practice Sheets

(Table of Contents)

| Ref. | Safe Work Practice Sheets |
|-------------|--|
| 030 | Procedure for the reduction and disposal of hazardous waste |
| 031 | Handling + Use of Chemical Agents |
| 032 | Disposal of chemical waste |
| 033 | Chemical storage and inventory control |
| 034 | Material Safety Data Sheets |
| 035 | Ethidium bromide waste reduction and disposal |
| 036 | Biological and chemical risk assessment |
| 037 | Cryogenic liquids |
| 038 | Transporting hazardous materials within the school |
| 039 | Chemical labels |
| 040 | Chemical spill |
| 041 | Biohazards |
| 042 | Procedure for the reduction and disposal of biohazardous waste |
| 043 | Sharps |
| 044 | Biohazard spill |
| 045 | Immunizations |
| 046 | Emergency response |
| 047 | Emergency contact numbers |
| 048 | Safety Showers and Fountains |
| 049 | FASC Safety Representatives |
| 050 | Safety Inspection Reports |
| 051 | Undergraduate clearance form |
| 052 | Postgraduate clearance form |

| | |
|-----|-------------------------------------|
| 053 | Laboratory safety regulations |
| 054 | Animal Handling |
| 055 | Electrical Safety and PAT |
| 056 | Field Work |
| 057 | Glassware |
| 058 | Lone Working/Out of Hours |
| 059 | Manual Handling |
| 060 | Patient Handling |
| 061 | Pregnant Employees |
| 062 | Work Placement |
| 063 | Personal Protective Equipment (PPE) |
| 064 | Compressed Gas |
| 065 | Radioactive Sources |
| 066 | Centrifuges |
| 067 | Autoclaves |
| 068 | Bunsen – Gas Burners |
| 069 | Cold Rooms – Walk-in Freezers |
| 070 | Fridges - Freezers |
| 071 | Ovens |
| 072 | Microwave Ovens |
| 073 | Homogenisers |
| 074 | Hot Plates and Stirrers |
| 075 | pH Meters |
| 076 | Rotary Evaporators |
| 077 | UV Light Sources |
| 078 | Gel Electrophoresis |
| 079 | Laboratory Pumps |
| 080 | Fire Safety |
| 081 | Handling and Disposal of Lab Wastes |
| 082 | Personal Hygiene |
| 083 | Water – Oil Baths |
| 084 | Lasers |
| 085 | Hand Held Portable Electrical Tools |
| 086 | Dust |
| 087 | Vibration |
| 088 | Noise |

| | |
|-----|--|
| 089 | Housekeeping |
| 090 | Handling and Use of Flammable Liquids / Organic Solvents |
| 091 | Handling of Artificial Blood and Urine |
| 092 | Zoonoses |
| 093 | Unattended Experiment Form |
| 094 | Dissection/Surgery |
| 095 | Practical Classes involving children |
| 096 | Biosecurity of invasive species within Irish waterways' |